

## ERP assessed reproductive health medicines available for procurement

List last updated 18 November 2016

The ERP assesses the potential risks/benefits associated with the use of the medicines submitted and advises UNFPA on its decision on whether to procure these products. There are 4 different risk category ratings, where the first two, i.e. 1 and 2, are translated into non objection for procurement and the last two, 3 and 4, imply an objection for procurement. In the case of risk category 3 rating, procurement might be enabled in cases where the risk of no procurement outweighs the risk of procurement, as determined by the procurer.

The ERP risk rating of 1 or 2 for a reproductive health (RH) medicine translates into an ERP no-objection for procurement valid for 18 months; this means that the RH medicine can be supplied for this period. In certain cases, procurement period might be extended for 12 additional months after reassessment of a new submission of the product. The table below includes all the RH medicines comprised under risk category 1 and 2, and hence considered as an option for procurement.

Note: In case a client requires any other product that does not appear on this list please contact UNFPA QA at [procurement@unfpa.org](mailto:procurement@unfpa.org) so all the options for procurement can be considered depending on the situation.

Ref No	International Non-proprietary Name	Category	Formulation and strength	Shelf-life	Storage conditions	Pack size	Manufacturer	Country	Contact	Manufacturing site(s)	Date of inclusion of ERP	Date of end of validity of results
01	Mifepristone	Oxytocics	Tablet, 200mg	18 months	Store below 30°C	3 tablets in Alu/Alu blister	Cipla Limited	India	Sweety Thoppil ( <a href="mailto:Sweety.Thoppil@cipla.com">Sweety.Thoppil@cipla.com</a> ) +	Cipla Limited, Unit VIII, L-147 to L-147-1, L-142-3 to L-138 Verna Industrial Estate, Verna Goa, India.	November 2015	May 2017
02	Magnesium Sulphate	Prevention and treatment of eclampsia	500mg/ml, 10ml	36 months	Store below 30°C	50 and 10 ampoules	Demo SA	Greece	Dimistris Klonis ( <a href="mailto:dklonis@demo.gr">dklonis@demo.gr</a> ) +30 2108161802	21 km National Road Athens-Lamia, krioneri, 14568, Athens, Greece	February 2016	August 2017
03	Mifepristone	Oxytocics	Tablet, 200mg	24 months	Store below 30°C	1 tablet in Alu/PVC blister	Acme	India	Viral Shah ( <a href="mailto:viralshah@acmeformulation.com">viralshah@acmeformulation.com</a> )	Ropar Road, Nalagarh, Dist. Solan (Himachal Pradesh) India	July 2016	January 2018

ERP assessed reproductive health medicines available for procurement

List last updated 18 November 2016

Ref No	International Non-proprietary Name	Category	Formulation and strength	Shelf-life	Storage conditions	Pack size	Manufacturer	Country	Contact	Manufacturing site(s)	Date of inclusion of ERP	Date of end of validity of results
04	Levonorgestrel	Subdermal implants	75mg	48 months	Store below 30°C	2 rods	Shanghai Dahua Pharmaceutical	P.R. China	<a href="mailto:MSteiner@fhi360.org">MSteiner@fhi360.org</a>	Shanghai Dahua Pharmaceutical Co. Ltd. 3503 Chang Zheng Farm Road, Chongming County, Shanghai, China	November 2016	March 2018
05	Magnesium sulfate	Prevention and treatment of eclampsia	500mg/ml 2ml	24 months	Store below 30°C	10 or 100 ampoules	JSC KALCEKS	Latvia	Email: <a href="mailto:kalceks@kalceks.lv">kalceks@kalceks.lv</a> Tel: +371 67 083 320	JSC KALCEKS Krustpils street 53, LV -1057, Riga, Latvia – batch release site.  HBM Pharma s.r.o. Sklabinska 30 SK-036 80 Martin Slovakia - contract manufacturer -	November 2016	March 2018
06	Magnesium sulfate	Prevention and treatment of eclampsia	500mg/ml 10ml	24 months	Store below 30°C	5, 10 or 100 ampoules	JSC KALCEKS	Latvia	Email: <a href="mailto:kalceks@kalceks.lv">kalceks@kalceks.lv</a> Tel: +371 67 083 320	JSC KALCEKS Krustpils street 53, LV -1057, Riga, Latvia – batch release site.  HBM Pharma s.r.o. Sklabinska 30 SK-036 80 Martin Slovakia - contract manufacturer	November 2016	March 2018

All products procured based on ERP positive assessment will undergo pre-shipment quality control testing.